4-gas detector with pump

H₂S

CO

 O_2

LEL

GasAlert GasAlert





General Sp	pecifications	
Size	5.1 x 2.8 x 2.0 in. / 13.1 x 7.0 x 5.2 cm	
Weight	11.1 oz. / 316 g	
Typical battery life	13 hours @ 32°F / 0°C 10 hours @ -4°F / -20°C Recharges in 6 hours	
Certifications and approvals	Class I, Div. 1, Gr. A, B, C, D ATEX: C © II 1 G Ga Ex ia IIC T4 IECEX: Ga Ex ia IIC T4 INMETRO: BR-Ex ia IIC T4 C European Conformity	
Warranty	Full 2-year warranty including all sensors	

Simple operation with pump

The rugged GasAlertMax XT reliably monitors for up to four gas hazards and combines straightforward one-button field operation with an integrated sampling pump. Tamper-proof, user-adjustable options enable the instrument to be customized to suit your application. Confined space entry and remote sampling have never been so easy with new, intelligent SmartSample pump technology. Minimize pump blockages and improve remote sampling result accuracy. Powered by a rechargeable battery pack that provides runtime for an entire 13 hour shift, the compact GasAlertMax XT comes with standard event logging and datalogging. The GasAlertMax XT is fully compatible with the MicroDock II automated test and calibration system.







Standard Package Contents

- Detector complete with specified sensor(s), stainless steel alligator clip and concussion-proof housing
- Rechargeable lithium polymer battery
- Charging adaptor
- 3 ft./1 m calibration hose with guick connect
- 10 ft./3 m sampling hose with particulate filter and guick connect
- Reversible screwdriver
- Kit of 5 spare pump filter
- Manual
- Multi-language manual CD

This product available from:

Optimum Energy Products Ltd.

Online: www.CanarySense.com

Toll Free: 1-877-766-5412

Order Number

Gasalertmax X i 4-Gas Detector	Yellow	Віаск	Price (USD)
%LEL, O ₂ , H ₂ S, CO	XT-XWHM-Y-NA	XT-XWHM-B-NA	\$795.00

GasAlertMax XT 3-Gas Detector	Yellow	Black	Price (USD)
%LEL, O ₂ . H ₂ S	XT-XWH0-Y-NA	XT-XWH0-B-NA	\$745.00
%LEL, O ₂ , CO	XT-XW0M-Y-NA	XT-XW0M-B-NA	\$745.00
O ₂ , H ₂ S, CO	XT-X0HM-Y-NA	XT-X0HM-B-NA	\$745.00
%LEL, H ₂ S, CO	XT-0WHM-Y-NA	XT-0WHM-B-NA	\$745.00

GasAlertMax XT 2-Gas Detector	Yellow	Black	Price (USD)
%LEL, O ₂	XT-XW00-Y-NA	XT-XW00-B-NA	\$695.00
H ₂ S, CO	XT-00HM-Y-NA	XT-00HM-B-NA	\$695.00
O ₂ , H ₂ S	XT-X0H0-Y-NA	XT-X0H0-B-NA	\$695.00
O ₂ , CO	XT-X00M-Y-NA	XT-X00M-B-NA	\$695.00
%LEL, H ₂ S	XT-0WH0-Y-NA	XT-0WH0-B-NA	\$695.00
%LEL, CO	XT-0W0M-Y-NA	XT-0W0M-B-NA	\$695.00

GasAlertMax XT 1-Gas Detector	Yellow	Black	Price (USD)
O ₂	XT-X000-Y-NA	XT-X000-B-NA	\$645.00
%LEL	XT-0W00-Y-NA	XT-0W00-B-NA	\$645.00
H ₂ S	XT-00H0-Y-NA	XT-00H0-B-NA	\$645.00
CO	XT-000M-Y-NA	XT-000M-B-NA	\$645.00

GasAlertMax XT Region Codes

For orders outside North America, change order number suffix "-NA" to:			
"-EU"	Europe	"-BR"	Brazil
"-UK"	United Kingdom	"-OR"	Other region with 3-pin UK plug
"-AU"	Australia	"-OE"	Other region with 2-pin UK plug
"-CN"	China/New Zealand		





MicroDock II

Automatic test and calibration station
(see MicroDock II section for additional information)

Gas Legend

Ous Le	genu
%LEL	Combustible
O ₂	Oxygen
H_2S	Hydrogen sulfide
CO	Carbon monoxide

19

Confined Space Kit	Order Number	Price (USD)
GasAlertMax XT deluxe confined space kit Detector and calibration gas sold separately	XT-CK-DL	\$445.00
Carrying case for GasAlertMax XT with foam insert	XT-CK-CC	\$145.00

Carrying Accessories	Order Number	Price (USD)
Concussion-proof boot with stainless steel alligator-style clip	GA-BXT	\$35.00
Carrying holster for detector and sampling hose	GA-HXT	\$20.00
Neck strap with safety release	GA-NS-1	\$10.00
Extension strap (4 ft./1.2 m)	GA-ES-1	\$35.00
Short strap (6 in./15.2 cm)	GA-LY-1	\$5.00
Armband	GA-ARM-1	\$35.00
Chest harness	GA-CH-2	\$45.00

Power Options and Spares	Order Number	Price (USD)
Multi-unit (5) cradle charger	XT-C01-MC5	\$225.00
Multi-unit power adaptor	GA-PA-1-MC5*	\$75.00
12-24 Vpc vehicle power adaptor	GA-VPA-1	\$25.00
12-24 Vpc direct-wire power adaptor	GA-PA-3	\$35.00
Replacement power adaptor	GA-PA-1-NA**	\$10.00

^{*}For regions outside North America add to the end of the order number: "-EU" for Europe, "-UK" for United Kingdom and "-AU" for Australia/China.

**For regions outside North America replace "-NA" with: "-EU" for Europe, "-UK" for United Kingdom and "-AU" for Australia/China.



Concussion-Proof Boot GA-BXT



Carrying Holster GA-HXT Sampling Probe GA-PROB1-1



Multi-Unit Cradle Charger XT-C01-MC5 Simultaneously charge 5 detectors



Multi-Unit Power Adaptor GA-PA-1-MC5 Simultaneously charge 5 detectors



Vehicle Power Adaptor 12-24 VDC GA-VPA-1



Direct-Wire Power Adaptor 12-24 VDC GA-PA-3

Used for emergency vehicles and other applications

Datalogging Accessories	Order Number	Price (USD)
IR connectivity kit with Fleet Manager II software	GA-USB1-IR	\$70.00

Sampling/Testing Equipment and Spares	Order Number	Price (USD)
MicroDock II automatic test and calibration system— - base station and GasAlertMax XT docking module with charging cable - base station and GasAlertMax XT docking module without charging cable - GasAlertMax XT docking module with charging cable - GasAlertMax XT docking module without charging cable For complete MicroDock II system configuration information, see MicroDock II section.	DOCK2-2-1C1M-00-N* DOCK2-2-1M-00-N* DOCK2-0-1C1M-00-N DOCK2-0-1M-00-N	\$1,545.00 \$1,495.00 \$550.00 \$500.00
Quick connect fitting spares for hoses, kit of 2	M0931K	\$25.00
Auxiliary filter for GasAlertMax XT pump, kit of 5	M5-AF-K2	\$30.00
Auxiliary filter for GasAlertMax XT pump, kit of 100	M5-AF-K2-100	\$385.00
Hydrophobic pump filter replacement, kit of 5	XT-RF-H5	\$10.00
Hydrophobic pump filter replacement, kit of 50	XT-RF-H50	\$75.00
Hydrophobic pump filter replacement, kit of 100	XT-RF-H100	\$130.00
Particulate pump filter replacement, kit of 5	GA-PFMAX	\$10.00
Particulate pump filter replacement, kit of 50	GA-PFMAX-50	\$30.00
Particulate pump filter replacement, kit of 100	GA-PFMAX-100	\$50.00

^{*}Change order number suffix "-N" to: "-E" for European versions, "-U" for United Kingdom versions, "-A" for Australian versions.


Sensor Spares and Replacements	Order Number	Price (USD)
Quad sensor screen filters, kit of 2	XT-SS	\$18.00
Quad sensor screen filters, kit of 10	XT-SS-K1	\$90.00
Replacement MICROpeL combustible (LEL) sensor	SR-W-MP75C	\$100.00
Replacement MICROceL oxygen (O2) sensor	SR-X-MC	\$100.00
Replacement MICROceL hydrogen sulfide (H ₂ S) sensor	SR-H-MC	\$100.00
Replacement MICROceL carbon monoxide (CO) sensor	SR-M-MC	\$100.00
Dummy sensor for combustible sensor location	SR-W-MC-DUM	\$10.00
Dummy sensor for oxygen sensor location	SR-X-MC-DUM	\$10.00
Dummy sensor for toxic sensor locations	SR-TOX-MC-DUM	\$10.00



IR Connectivity Kit GA-USB1-IR Use for data download and instrument set-up options



Auxilliary Pump Filter M5-AF-K2 / M5-AF-K100 For high dust environments; available in kits of 5 or 100



Quick Connect FittingM0931K

Quick connect fitting for hoses, kit of 2

Hydrophobic Pump Filter XT-RF-H5/XT-RF-H50/XT-RF-H100 Particulate Pump Filter GA-PFMAX/GA-PFMAX-50/GAPFMAX-100 Both are available in kits of 5, 50 or 100



5062-21-USD-EN 21